

Corrective Action for Skyline Painting

RCRARep Corrective Action Report

Report run on: November 28, 2016 12:07 PM

Facility Information

ID / Dist	Name / Location Address ...	County	Regulated Activity
MID057007478	SKYLINE PAINTING INC 1700 BLANEY DR TROY MI 48084	OAKLAND	SG -----
Current Federal Activities			
Hazardous Waste Small Quantity Generator			
Other State Interests			
-State Small Quantity Generator-Generates less than 1,000 kg of haz			
Permitting/Closure Universes			
Permit Progress (Storage)			
Corrective Action Universes			
Subject to Corrective Action			
TSDF Subject to CA only under Discretionary Authorities			
Previous/Other Site Name			
03/01/06 05 Biennial	SKYLINE PAINTING		

CORRECTIVE ACTION AUTHORITIES

Authority, Citation / Agency, Staff / Lead Program / etc	Issued	Effective	Revoked
Voluntary CA	05/01/09	05/01/09	
In MI: by EPA GJH Program: - Suborg:			
Other, specified by Legal Authority Citation			

CORRECTIVE ACTION AREAS

Area Name, Seq# / Releases / Staff / Notes	Facility	Unit
ENTIRE FACILITY (0001)	Yes	
Releases: Air: N GW: N Soil: N Surface Water: N		

CORRECTIVE ACTION EVENTS

Event / Agency, Staff / Authority / Covered Areas / Notes	1stSched	NowSched	Actual
CA070NO 001 - DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NOT NECESSARY (HQ)			
In MI: by EPA GJH			05/01/09
Auth'y: Thru EPA effective 05/01/09 Voluntary CA			
Areas: 0001-ENTIRE FACILITY			
Notes: PA/VSI did not recommend any further investigation			
CA050 001 - RFA COMPLETED (HQ)			
In MI: by EPA KP REB			05/27/92
Areas: 0001-ENTIRE FACILITY			
CA075LO 001 - CA PRIORITIZATION-LOW CA PRIORITY (HQ)			
In MI: by EPA RT RPB			03/31/92
Areas: 0001-ENTIRE FACILITY			